ELSEVIER

Journal of Controlled Release 56 (1998) 303–305

journal of controlled release

Author Index Volume 56 (1998)

Ameri, M., Collett, J.H., Attwood, D. and Booth, C., In vitro release of cytarabine from swellable matrices of $C_nE_mC_n$ triblock copolymers (56) 1
Andremont, A., see Page-Clisson, M.-E. (56) 23
Attwood, D., see Ameri, M. (56) 1
Attwood, D., see Miyazaki, S. (56) 75

Bartolomei, M., see Montanari, L. (56) 219
Benoit, J.-P., see Pean, J.-M. (56) 175
Bero, M., see Buntner, B. (56) 159
Booth, C., see Ameri, M. (56) 1
Boury, F., see Pean, J.-M. (56) 175
Bouwstra, J.A., see Van Kuijk-Meuwissen, M.E.M.J. (56) 189
Buntner, B., Nowak, M., Kasperczyk, J., Ryba, M., Grieb, P., Walski, M., Dobrzyñski, P. and Bero, M., The application of microspheres from the copolymers of lactide and ϵ-caprolactone to the controlled release of steroids (56) 159

Calvo, M.B., see Igartua, M. (56) 63
Cecchelli, R., see Chopineau, J. (56) 231
Chopineau, J., Robert, S., Fénart, L., Cecchelli, R., Lagoutte, B., Paitier, S., Dehouck, M.-P. and Domurado, D., Monoacylation of ribonuclease A enables its transport across an *in vitro* model of the blood–brain barrier (56) 231
Collett, J.H., see Ameri, M. (56) 1
Conte, U., see Giunchedi, P. (56) 53
Conti, B., see Giunchedi, P. (56) 53
Conti, B., see Montanari, L. (56) 219
Corradin, G., see Johansen, P. (56) 209
Costantini, M., see Montanari, L. (56) 219
Couvreur, P., see Page-Clisson, M.-E. (56) 23

Dehouck, M.-P., see Chopineau, J. (56) 231
Denizot, B., see Pean, J.-M. (56) 175
Dennehy, C., see Peschka, R. (56) 41
Dobrzyñski, P., see Buntner, B. (56) 159
Domurado, D., see Chopineau, J. (56) 231

Esquisabel, A., see Igartua, M. (56) 63

Fattibene, P., see Montanari, L. (56) 219
Faucitano, A., see Montanari, L. (56) 219
Fénart, L., see Chopineau, J. (56) 231

Gander, B., see Johansen, P. (56) 209
Gascón, A.R., see Igartua, M. (56) 63
Genta, I., see Montanari, L. (56) 219
Gill, I., see MacLaughlin, F.C. (56) 259
Giunchedi, P., Conti, B., Scalia, S. and Conte, U., In vitro degradation study of polyester microspheres by a new HPLC method for monomer release determination (56) 53
Grieb, P., see Buntner, B. (56) 159

Hämäläinen, K.M., Määttä, E., Piirainen, H., Sarkola, M., Väisänen, A., Ranta, V.-P. and Urtti, A., Roles of acid/base nature and molecular weight in drug release from matrices of gelfoam and monoisopropyl ester of poly(vinyl methyl ether–maleic anhydride) (56) 273
Hernández, R.M., see Igartua, M. (56) 63
Hinchcliffe, M., see MacLaughlin, F.C. (56) 259
Hirvonen, J., Murtomäki, L. and Kontturi, K., Effect of diffusion potential, osmosis and ion-exchange on transdermal drug delivery: theory and experiments (56) 33
Hirvonen, J., Murtomäki, L. and Kontturi, K., Experimental verification of the mechanistic model for transdermal transport including iontophoresis (56) 169
Hjärtstam, J., see Madhu, B. (56) 95
Horwitz, E., see Touitou, E. (56) 7
Hu, Z., Kimura, G., Mawatari, S.-s., Shimokawa, T., Yoshikawa, Y. and Takada, K., New preparation method of intestinal pressure-controlled colon delivery capsules by coating machine and evaluation in beagle dogs (56) 293

Igartua, M., Hernández, R.M., Esquisabel, A., Gascón, A.R., Calvo, M.B. and Pedraz, J.L., Enhanced immune response after subcutaneous and oral immunization with biodegradable PLGA microspheres (56) 63
Ikada, Y., see Tabata, Y. (56) 135
Ikeda, M., see Miyajima, M. (56) 85

Johansen, P., Corradin, G., Merkle, H.P. and Gander, B., Release of tetanus toxoid from adjuvants and PLGA microspheres: How experimental set-up and surface adsorption fool the pattern (56) 209
Junginger, H., see Van Kuijk-Meuwissen, M.E.M.J. (56) 189

Kasperczyk, J., see Buntner, B. (56) 159

Kataoka, K., see Yu, B.G. (56) 285
Kawasaki, N., see Miyazaki, S. (56) 75
Khan, G.M. and Zhu, J.B., Ibuprofen release kinetics from controlled-release tablets granulated with aqueous polymeric dispersion of ethylcellulose II: Influence of several parameters and coexcipients (56) 127
Kim, S.Y., Shin, I.G. and Lee, Y.M., Preparation and characterization of biodegradable nanospheres composed of methoxy poly(ethylene glycol) and DL-lactide block copolymer as novel drug carriers (56) 197
Kimura, G., see Hu, Z. (56) 293
Kissel, T., see Kriwet, B. (56) 149
Kissel, T., see Morlock, M. (56) 105
Kissel, T., see Zange, R. (56) 249
Koll, H., see Morlock, M. (56) 105
Kontturi, K., see Hirvonen, J. (56) 33
Kontturi, K., see Hirvonen, J. (56) 169
Koshika, A., see Miyajima, M. (56) 85
Kriwet, B., Walter, E. and Kissel, T., Synthesis of bioadhesive poly(acrylic acid) nano- and microparticles using an inverse emulsion polymerization method for the entrapment of hydrophilic drug candidates (56) 149
Kusai, A., see Miyajima, M. (56) 85
Kwon, G.S., see Yu, B.G. (56) 285

Lagoutte, B., see Chopineau, J. (56) 231
Lee, Y.M., see Kim, S.Y. (56) 197
Li, J.K., Wang, N. and Wu, X.S., Poly(vinyl alcohol) nanoparticles prepared by freezing–thawing process for protein/peptide drug delivery (56) 117
Li, Y., see Zange, R. (56) 249
Li, Y.X., see Morlock, M. (56) 105

Määttä, E., see Hämäläinen, K.M. (56) 273
MacLaughlin, F.C., Mumper, R.J., Wang, J., Tagliaferri, J.M., Gill, I., Hinchcliffe, M. and Rolland, A.P., Chitosan and depolymerized chitosan oligomers as condensing carriers for in vivo plasmid delivery (56) 259
Madhu, B., Hjärtstam, J. and Soussi, B., Studies of the internal flow process in polymers by ^{1}H NMR microscopy at 500 MHz (56) 95
Matsui, Y., see Tabata, Y. (56) 135
Mawatari, S.-s., see Hu, Z. (56) 293
Meidan, V.M., see Touitou, E. (56) 7
Menei, P., see Pean, J.-M. (56) 175
Merkle, H.P., see Johansen, P. (56) 209
Miyajima, M., Koshika, A., Okada, J., Kusai, A. and Ikeda, M., Factors influencing the diffusion-controlled release of papaverine from poly (L-lactic acid) matrix (56) 85
Miyazaki, S., Suisha, F., Kawasaki, N., Shirakawa, M., Yamatoya, K. and Attwood, D., Thermally reversible xyloglucan gels as vehicles for rectal drug delivery (56) 75
Montanari, L., Costantini, M., Signoretti, E.C., Valvo, L., Santucci, M., Bartolomei, M., Fattibene, P., Onori, S., Faucitano, A., Conti, B. and Genta, I., Gamma irradiation effects on poly(DL-lactictide-co-glycolide) microspheres (56) 219
Morlock, M., Kissel, T., Li, Y.X., Koll, H. and Winter, G., Erythropoietin loaded microspheres prepared from biodegradable LPLG–PEO–LPLG triblock copolymers: protein stabilization and in-vitro release properties (56) 105
Mougin, L., see Van Kuijk-Meuwissen, M.E.M.J. (56) 189
Mumper, R.J., see MacLaughlin, F.C. (56) 259
Murtomäki, L., see Hirvonen, J. (56) 33
Murtomäki, L., see Hirvonen, J. (56) 169

Nowak, M., see Buntner, B. (56) 159

Okada, J., see Miyajima, M. (56) 85
Okano, T., see Yu, B.G. (56) 285
Onori, S., see Montanari, L. (56) 219
Ourevitch, M., see Page-Clisson, M.-E. (56) 23

Page-Clisson, M.-E., Pinto-Alphandary, H., Ourevitch, M., Andremont, A. and Couvreur, P., Development of ciprofloxacin-loaded nanoparticles: physicochemical study of the drug carrier (56) 23
Paitier, S., see Chopineau, J. (56) 231
Papp, L., see Szántó, Zs. (56) 239
Péan, J.-M., Venier-Julienne, M.-C., Boury, F., Menei, P., Denizot, B. and Benoit, J.-P., NGF release from poly(D,L-lactide-co-glycolide) microspheres. Effect of some formulation parameters on encapsulated NGF stability (56) 175
Pedraz, J.L., see Igartua, M. (56) 63
Peschka, R., Dennehy, C. and Szoka Jr., F.C., A simple in vitro model to study the release kinetics of liposome encapsulated material (56) 41
Piirainen, H., see Hämäläinen, K.M. (56) 273
Pinto-Alphandary, H., see Page-Clisson, M.-E. (56) 23

Ranta, V.-P., see Hämäläinen, K.M. (56) 273
Robert, S., see Chopineau, J. (56) 231
Rolland, A.P., see MacLaughlin, F.C. (56) 259
Ryba, M., see Buntner, B. (56) 159

Santucci, M., see Montanari, L. (56) 219
Sardari, S., see Yu, B.G. (56) 285
Sarkola, M., see Hämäläinen, K.M. (56) 273
Scalia, S., see Giunchedi, P. (56) 53
Shimokawa, T., see Hu, Z. (56) 293
Shin, I.G., see Kim, S.Y. (56) 197
Shirakawa, M., see Miyazaki, S. (56) 75
Signoretti, E.C., see Montanari, L. (56) 219
Soussi , B., see Madhu, B. (56) 95
Suisha, F., see Miyazaki, S. (56) 75
Szántó, Zs. and Papp, L., Effect of the different factors on the iontophoretic delivery of calcium ions from bentonite (56) 239
Szoka Jr., F.C., see Peschka, R. (56) 41

Tabata, Y., Matsui, Y. and Ikada, Y., Growth factor release from amylopectin hydrogel based on copper coordination (56) 135
Tagliaferri, J.M., see MacLaughlin, F.C. (56) 259
Takada, K., see Hu, Z. (56) 293
Touitou, E., Meidan, V.M. and Horwitz, E., Methods for quantitative determination of drug localized in the skin (56) 7

Urtti, A., see Hämäläinen, K.M. (56) 273

Väisänen, A., see Hämäläinen, K.M. (56) 273
Valvo, L., see Montanari, L. (56) 219
Van Kuijk-Meuwissen, M.E.M.J., Mougin, L., Junginger, H.E. and Bouwstra, J.A., Application of vesicles to rat skin in vivo: a confocal laser scanning microscopy study (56) 189
Venier-Julienne, M.-C., see Pean, J.-M. (56) 175

Walski, M., see Buntner, B. (56) 159
Walter, E., see Kriwet, B. (56) 149
Wang, J., see MacLaughlin, F.C. (56) 259
Wang, N., see Li, J.K. (56) 117
Winter, G., see Morlock, M. (56) 105
Wu, X.S., see Li, J.K. (56) 117

Yamatoya, K., see Miyazaki, S. (56) 75
Yoshikawa, Y., see Hu, Z. (56) 293
Yu, B.G., Okano, T., Kataoka, K., Sardari, S. and Kwon, G.S., In vitro dissociation of antifungal efficacy and toxicity for amphotericin B-loaded poly(ethylene oxide)-block-poly(β-benzyl-L-aspartate) micelles (56) 285

Zange, R., Li, Y. and Kissel, T., Biocompatibility testing of ABA triblock copolymers consisting of poly(L-lactic-co-glycolic acid) A blocks attached to a central poly(ethylene oxide) B block under *in vitro* conditions using different L929 mouse fibroblasts cell culture models (56) 249
Zhu, J.B., see Khan, G.M. (56) 127

ELSEVIER

Journal of Controlled Release 56 (1998) 307–308

journal of controlled release

Subject Index Volume 56 (1998)

ABA triblock copolymers, (56) 105, (56) 249
Adjuvants, (56) 209
Amphiphilic block copolymer, (56) 197
Amphotericin B, (56) 285
Amylopectin, (56) 135
Antigen delivery, (56) 209
Beagle dogs, (56) 293
Bentonite, (56) 239
bFGF, (56) 135
Bioadhesive drug delivery, (56) 149
Bioassay, (56) 175
Biocompatibility testing, (56) 249
Biodegradable hydrogel, (56) 135
Biodegradable polymers, (56) 53, (56) 85, (56) 219
Block copolymers, (56) 1
Bovine serum albumin, (56) 63
Ca^{++}, (56) 239
Chemical interaction, (56) 23
Chitosan, (56) 259
Ciprofloxacin, (56) 23
Colloid, (56) 41
Colon delivery, (56) 293
Complexation, (56) 259
Confocal laser scanning microscopy, (56) 189
Controlled drug delivery, (56) 159
Controlled-release tablets, (56) 127
Critical aggregation concentration, (56) 285
Crystallinity, (56) 85
Cytarabine, (56) 1
DNA plasmid, (56) 259
Dermal delivery, (56) 189
Diazepam, (56) 53
Diffusion, (56) 95, (56) 273
Diffusion potential, (56) 33
Diffusion-controlled release, (56) 85
Diltiazem, (56) 75
Drug delivery, (56) 231
Drug delivery system, (56) 197
Drug distribution, (56) 7
Drug localization, (56) 7
Drug quantitation in skin, (56) 7
Drug release, (56) 273
Drug release mechanism, (56) 127
ELISA, (56) 175
Emulsion, (56) 23
Endosomolytic peptide, (56) 259
Erythropoietin, (56) 105
2-Ethylbutylcyanoacrylate, (56) 23
Ethylcellulose, (56) 293
β-Estradiol, (56) 159
First-appearance time in blood, (56) 293
Fluorescein, (56) 293
Freezing–thawing process, (56) 117
Freund's complete adjuvant, (56) 63
Gelfoam®, (56) 273
Gene delivery system, (56) 259
Hemolysis, (56) 285
Hydration, (56) 95
Hydrogel, (56) 117
Hydrophilic matrix, (56) 1
Ibuprofen, (56) 127
Immune response, (56) 63
In vitro cytotoxicity, (56) 249
In vitro degradation, (56) 53
In vitro model, (56) 41
In vivo, (56) 189
Indomethacin, (56) 75
Influence of coexcipients, (56) 127
Intestinal and colonic gene delivery, (56) 259
Intestinal luminal pressure-controlled colon delivery system, (56) 293
Inverse emulsion polymerization, (56) 149
Inverse micelles, (56) 149
Ion-exchange, (56) 33
Iontophoresis, (56) 169, (56) 239
ϒ irradiation, (56) 219
L929 fibroblasts, (56) 249
DL-lactide, (56) 197
Liposomes, (56) 41, (56) 189
LPLG–PEO–LPLG, (56) 105
Metal coordination, (56) 135
Methodologies, (56) 7
Methoxy poly(ethylene glycol), (56) 197
Microencapsulation, (56) 159, (56) 175
Microspheres, (56) 53, (56) 63, (56) 105, (56) 159, (56) 219
Microtitration calorimetry, (56) 259
Minimal inhibitory concentration, (56) 285
Monomer(s) release, (56) 53

Nanoparticles, (56) 23, (56) 117, (56) 149
Nanosphere, (56) 197
Neovascularization, (56) 135
NGF, (56) 175
NMR microscopy, (56) 95
Non-viral gene therapy, (56) 259
Ocular drug delivery, (56) 273
Ocular insert, (56) 273
Osmosis, (56) 33
Osteoporosis, (56) 239
Papaverine, (56) 85
Partition coefficient, (56) 169
Penetration routes, (56) 169
PEO-block-PBLA micelles, (56) 285
Pharmaceutical tablets, (56) 95
Pig skin, (56) 239
PLGA microspheres, (56) 209
PLGA, (56) 175
Poly (D,L-lactide-co-ϵ-caprolactone), (56) 159
Poly(acrylic acid), (56) 149
Poly(D,L-lactide-co-glycolide), (56) 63, (56) 175
Poly(L-lactic acid), (56) 85
Poly(vinyl alcohol), (56) 117
Poly(vinyl methyl ether–maleic anhydride), (56) 273
Polyesters, (56) 53
Polylactide-co-glycolide, (56) 219
Polymer erosion, (56) 273
Polymeric carrier, (56) 23
Polymerization, (56) 23
Polymers, (56) 95
Progesterone, (56) 159
Protein, (56) 41
Protein release, (56) 105, (56) 175
Protein stability, (56) 175
Protein stabilization, (56) 105
Protein/peptide drug delivery, (56) 117
Pulsate current, (56) 239
Quantitative autoradiography, (56) 7
Rectal absorption, (56) 75
Rectal drug delivery, (56) 75
Release, (56) 135
Release kinetics, (56) 41
Release mechanism, (56) 1
Release models, (56) 209
Reversed micelles, (56) 231
Ribonuclease A, (56) 231
Serum stability, (56) 41
Skin, (56) 7
Surelease, (56) 127
Swellable matrices, (56) 1
N-Terminal acylation, (56) 231
Tetanus toxoid, (56) 209
Toxoid adsorption, (56) 209
Trace ion, (56) 33
Transdermal drug delivery, (56) 33
Transdermal transport, (56) 169
Vaccine, (56) 63
Xyloglucan gels, (56) 75